



INSTALLATION

TECH-CONNECT DEVICE HOLDER

1693

PARTS INCLUDED

- 1 Tech-Connect Device Holder
- 1 Hardware Kit Containing:
 - 2 #8-32 X 5/8" Phillips Head Pan Screws
 - 2 #8 SAE Flat Washers
 - 4 6" Black Nylon Cable Ties
 - 1 Anti-Seize Package
 - 1 Thick Foam Pad
 - 1 Thin Foam Pad
- 1 Installation Instructions

Please read and understand entire instructions before starting installation.

THANK YOU FOR CHOOSING KÜRYAKYN!

IN ORDER TO PROTECT YOU AND OTHERS FROM POSSIBLE INJURY AND/OR PROPERTY DAMAGE OR LOSS, PLEASE PAY CLOSE ATTENTION TO ALL INSTRUCTIONS, WARNINGS, CAUTIONS AND ATTENTION NOTES REGARDING THE USE AND CARE OF THIS PRODUCT.

WARNING! THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN POTENTIAL DEATH OR SERIOUS INJURY.

ATTENTION! This indication alerts you to the fact that ignoring the contents described herein may negatively affect product performance and functionality.

CAUTION! This indication alerts you to the fact that ignoring the contents described herein can result in potential injury or material damage.

TOOLS SUGGESTED

Small Phillips Screwdriver

STRICTLY OBSERVE THE FOLLOWING GUIDELINES IN ORDER TO USE THE PRODUCT PROPERLY AND AVOID POTENTIALLY DANGEROUS ACCIDENTS.

STEP 1 Read and understand all steps in the instructions before starting the installation. Park the motorcycle on a hard, level surface and turn off the ignition.

NOTE: The Tech-Connect Mobile Device Holder requires the separate purchase and installation of an accessory mount.

NOTE: For devices measuring 1-5/8" to 3-5/8" wide.

CAUTION! Ensure that the installation of this product does not interfere with the proper operation of the motorcycle before riding.

CUSTOMER SERVICE

877.370.3604 (toll free)

INSTALLATION QUESTIONS

techsupport@kuryakyn.com
or call 715.247.2983

LIMITED WARRANTY

Kuryakyn warrants that any Kuryakyn products sold hereunder, shall be free of defects in materials and workmanship for a period of one (1) year from the date of purchase by the consumer excepting the following provisions:

- Kuryakyn shall have no obligation in the event the customer is unable to provide a receipt showing the date the customer purchased the product(s).
 - The product must be properly installed, maintained and operated under normal conditions.
 - Kuryakyn makes no warranty, expressed or implied, with respect to any gold plated products.
 - Kuryakyn shall not be liable for any consequential and incidental damages, including labor and paint, resulting from failure of a Kuryakyn product, failure to deliver, delay in delivery, delivery in nonconforming condition, or for any breach of contract or duty between Kuryakyn and a customer.
- Kuryakyn products are often intended for use in specific applications. Kuryakyn makes no warranty if a Kuryakyn product is used in applications other than intended.
- Kuryakyn electrical products are warranted for one (1) year from the date of purchase by the consumer. L.E.D.'S contained in components of Kuryakyn products will be warranted for defects in materials and workmanship for 3 years from the date of purchase where as all other components shall be warranted for one(1) year. This includes, but is not limited to; control modules, wiring, chrome & other components.

• Kuryakyn makes no warranty of any kind in regard to other manufacturer's products distributed by Kuryakyn. Kuryakyn will pass on all warranties made by the manufacturer and where possible, will expedite the claim on behalf of the customer, but ultimately, responsibility for disposition of the warranty claim lies with the manufacturer.

ABOUT OUR CATALOG

For purchasing Kuryakyn® products, you can receive a complete catalog free of charge. Send the Proof-of-Purchase below with your address to: Kuryakyn, P.O. Box 339, Somerset, WI 54025. Please indicate either Accessories Catalog for Harley-Davidson® or GL & Metric Cruisers.

Be sure to ask your local dealer about other Kuryakyn® products, the motorcycle parts and accessories designed for riders by riders.


©2005 Kuryakyn USA® All Rights reserved.



kuryakyn.com


CAUTION! It is the installer’s responsibility to ensure that there is adequate clearance between the Tech-Connect and any painted surfaces. Küryakyn is not responsible for any damage due to inadequate clearance.

CAUTION! Be aware of any cables/wires that could potentially be pinched or crushed while using this product.




STEP 2 The Tech-Connect Device Holder can be mounted to Kuryakyn Accessory mounts with ease. PIC 1 It may fit other accessory mounts with two mounting holes 1-15/16” apart for mounting with #8-32 screws. Works well with Ram Mounts.

STEP 3 Attach the Tech-Connect Device holder to the large chrome Accessory Mount Plate (Premium-XL Chrome Mount) by inserting one of the included #8 Phillips head screws and washers through a slot on each side of the Plate and threading them into the back of the Tech-Connect Device Holder. PIC 2 and PIC 3 Tighten securely.




STEP 4 Attach the Tech-Connect Device Holder to the black plastic Accessory Mount Plate (Standard or Premium Chrome) by inserting one of the included #8 Phillips head screws and washers through the top and bottom slots on the Plate and threading them into the back of the Tech-Connect Device Holder. PIC 4 Tighten securely.



ATTENTION! It is the installer’s responsibility to ensure that all of the fasteners (including preassembled) are tightened before operation of the motorcycle. Küryakyn will not issue a warranty on components lost due to improper installation. Periodic maintenance may be required.

WARNING! TO PREVENT POSSIBLE LOSS OF CONTROL, WHICH COULD RESULT IN A POSSIBLE INJURY OR DEATH, WE DO NOT RECOMMEND REMOVING, REPLACING OR OPERATING THE DEVICE IN THE TECH-CONNECT WHILE RIDING THE MOTORCYCLE .



USING THE TECH-CONNECT HOLDER

STEP 1 There are two different thicknesses of foam padding included with the Tech-Connect Holder. The thinner pad will be used with most devices, the thicker pad with the super thin devices. The foam is cut and has an adhesive back. Decide which thickness that you require, remove the backing paper and attach it to the Tech-Connect Device Holder. PIC 5 and PIC 6

-cont.-

STEP 2

To adjust the opening in the Tech-Connect larger, turn the knobs on the outside of the Tech-Connect (PIC 7) counter clockwise until your device will fit in between the arms. Turn the knobs clockwise to close the arms around the device. There is a locking detent under the knobs to hold them in place once they come in contact with the device. **DO NOT over tighten the knobs. Tightening them too tight will not allow you to loosen them with your fingers.** Periodically check the tightness of the mobile device in the Tech-Connect.

NOTE: For best results keep "L" shaped foot portion of the Tech-Connect Holder on the bottom of the device. Keep the device holding support arms centered on the mounting plate.

CAUTION! Kuryakyn is not responsible for items that may be stolen or damaged in relation to the use of this product.

WARNING! ENSURE THAT THERE IS CLEARANCE AT ALL POINTS WHEN THE HANDLEBARS ARE TURNED. INSUFFICIENT CLEARANCE MAY CAUSE DAMAGE TO THE MOTORCYCLE OR CAN CAUSE LOSS OF CONTROL THAT COULD RESULT IN SEVERE INJURY OR DEATH.

CAUTION! Ensure that the Mobile Device is secure in the Tech-Connect Holder. Kuryakyn is not responsible for any Device that is damaged from use in this Holder or from the Holder not being properly secured to the motorcycle.

CAUTION! Motorcycling can be done in a harsh environment. Make sure your Mobile Device is appropriate for this application.

WARNING! DO NOT ATTEMPT TO OPERATE OR REMOVE THE MOBILE DEVICE FROM THE HOLDER WHILE OPERATING THE MOTORCYCLE.

ATTENTION! It is the installer's responsibility to ensure that all of the fasteners (including preassembled) are tightened before operation of the motorcycle. Kuryakyn will not issue a warranty on components lost due to improper installation. Periodic maintenance may be required.

