



INSTALLATION INSTRUCTIONS

FAIRING MOUNTED BAHN MIRRORS

1814

THANK YOU FOR CHOOSING BAHN!

Protect yourself and others from possible injury and property damage or loss. Pay close attention to all instructions, warnings, cautions, and notices regarding the installation, use, and care of this product.

WARNING THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN POTENTIAL DEATH OR SERIOUS INJURY.

CAUTION THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN CAN RESULT IN MINOR OR MODERATE POTENTIAL INJURY.

NOTICE THIS INDICATION ALERTS YOU TO THE FACT THAT IGNORING THE CONTENTS DESCRIBED HEREIN MAY NEGATIVELY AFFECT PRODUCT PERFORMANCE AND FUNCTIONALITY OR DAMAGE THE PRODUCT ITSELF OR THE PRODUCT TO WHICH IT IS BEING ATTACHED.

ENSURE THAT THE FOLLOWING PARTS HAVE BEEN INCLUDED IN THE KIT:

- | | | | |
|---|-------------------|---|------------------------------------|
| 1 | Right Mirror Head | 1 | Hardware Kit |
| 1 | Left Mirror Head | 1 | Cardboard Template |
| | | 1 | Right Mirror Mount |
| | | 1 | Left Mirror Mount |
| | | 2 | 3/8-16 X 1" Socket Head Cap Screws |
| | | 2 | Flat Washers |
| | | 1 | Right Rubber Spacer |
| | | 1 | Left Rubber Spacer |
| | | 2 | Mirror Spacers |

YOU WILL ALSO NEED:

Set of Torx drivers, set of hex wrenches, set of combination wrenches, center punch, drill and sharp drill bits, and masking tape.

NOTICE THESE INSTALLATION INSTRUCTIONS CONTAIN IMPORTANT INFORMATION. ENSURE THE END USER RECEIVES THIS COPY AND IS AWARE OF ITS IMPORTANCE FOR FUTURE USE.

IT IS THE END USER'S RESPONSIBILITY TO ENSURE THAT ALL FASTENERS (INCLUDING PRE-ASSEMBLED) ARE TIGHTENED BEFORE OPERATION OF THE MOTORCYCLE. KURYAKYN WILL NOT PROVIDE WARRANTY COVERAGE ON PRODUCTS OR COMPONENTS LOST OR DAMAGED DUE TO IMPROPER INSTALLATION OR LACK OF MAINTENANCE. PERIODIC INSPECTION AND MAINTENANCE ARE REQUIRED ON ALL FASTENERS.

MEASURE TWICE—DRILL ONCE. DOUBLE CHECK ALL REFERENCE MARKS BEFORE DRILLING. KURYAKYN IS NOT RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THIS INSTALLATION.

WARNING THE END USER'S SAFETY DEPENDS UPON PROPER INSTALLATION OF THIS PRODUCT. IF A STEP IN THESE INSTRUCTIONS IS NOT WITHIN YOUR CAPABILITIES OR YOU DO NOT HAVE THE CORRECT TOOLS, HAVE YOUR DEALER PERFORM THE PROCEDURE. IMPROPER INSTALLATION OF THIS PRODUCT COULD RESULT IN DEATH OR SERIOUS INJURY.

ACCIDENTAL VEHICLE START-UP COULD CAUSE DEATH OR SERIOUS INJURY, REMOVE THE MAIN FUSE BEFORE PROCEEDING.

STEP 1 Read and understand all STEPS in the instructions before starting the installation. Park the motorcycle on a hard, level surface and turn ignition off. Remove the main fuse.

STEP 2 Remove the outer fairing and windshield; disconnect the headlight; set it all on a soft, sturdy surface.

1

INFORMATION AND SUPPORT

INFO@BAHNPRODUCTS.COM

866 294 2827



INSTALLATION INSTRUCTIONS

FAIRING MOUNTED BAHN MIRRORS

1814

-CONTINUED-

NOTE: For bikes with existing mirrors, skip to STEP 6 otherwise continue on to STEP 3.

- STEP 3** Locate the included Template; locate the bosses shown in PIC 1.
- STEP 4** Align the Template as shown in PIC 1; note the perforated marks on the template; use a center punch to make marks on the inside of the fairing. Repeat for the other side.

NOTICE

MEASURE TWICE—DRILL ONCE. DOUBLE CHECK ALL REFERENCE MARKS BEFORE DRILLING. KURYAKYN IS NOT RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THIS INSTALLATION.

- STEP 5** From the inside of the fairing, drill small pilot holes at the marks made in the previous STEP.

Place some masking tape over the pilot holes on the outside of the fairing.


From the outside of the fairing, enlarge the TOP pilot holes to 3/8"; enlarge the BOTTOM holes to 1/4". Remove and discard the tape. **SKIP TO STEP 7.**

- STEP 6** Remove the existing mirrors and hardware; set them aside, they will not be reused.
- STEP 7** Locate the included Screws and Washers; assemble the Washers and Screws; set them within arm's reach of the work area.

Refer to PIC 2. Locate the included Left and Right Rubber Spacers; set them within arm's reach of the work area.

- STEP 8** Locate the included Mirror Mounts; hold the Left Mount up to the outside of the fairing as shown in PIC 3; insert the Mount locating-boss through the bottom fairing-hole.

- STEP 9** Refer to PIC 4. Place the Left Rubber Spacer (with the angled side facing inward) over the Mount locating-boss; align the holes.



INSTALLATION INSTRUCTIONS

FAIRING MOUNTED BAHN MIRRORS

1814

-CONTINUED-

STEP 10 Refer to PIC 5. Insert the Screw with Washer through the Spacer; thread the Screw into the Mount. Use an open ended wrench to tighten the Screw.

STEP 11 Repeat STEPS 8 through 10 for the other side.

STEP 12 Refer to PIC 6. Locate a Mirror Spacer and the Left Mirror Head. Place the spacer on the threads of the Left Mirror Head, and thread it into the Mount (the text should be on the bottom); repeat for the other side

STEP 13 Refer to PIC 7. Adjust the Mirrors before riding.

STEP 14 Reconnect the headlight; reinstall the outer fairing; reinstall the main fuse. Turn ignition on and ensure that the headlight and other lights operate correctly before riding.



PIC 5



PIC 6



PIC 7

LIMITED WARRANTY

Kuryakyn warrants that any Kuryakyn products sold hereunder, shall be free of defects in materials & workmanship for a period of one (1) year from the date of purchase by the consumer excepting the following provisions:

1. Kuryakyn shall have no obligation in the event the customer is unable to provide a receipt showing the date the customer purchased the product(s).
2. The product must be properly installed, maintained & operated under normal conditions.
3. Kuryakyn shall not be liable for any consequential & incidental damages, including labor & paint, resulting from failure of a Kuryakyn product, failure to deliver, delay in delivery, delivery in nonconforming condition, or for any breach of contract or duty between Kuryakyn & a customer.
4. Kuryakyn products are often intended for use in specific applications. Kuryakyn makes no warranty if a Kuryakyn product is used in applications other than intended.
5. Kuryakyn electrical products are warranted for one (1) year from the date of purchase by the consumer. L.E.D.'s contained in components of Kuryakyn products will be warranted for defects in materials & workmanship for 3 years from the date of purchase whereas all other components shall be warranted for one (1) year.
6. Exhaust systems are warranted for manufacturing defects only. There is no warranty on exhaust pipes & mufflers with regard to any discoloration. Discoloration or "blueing" is caused by turning characteristics, exhaust timing, carburetor jetting, overheating, etc. & is not caused by defective manufacturing.
7. Kuryakyn makes no warranty of any kind in regard to other manufacturer's products distributed by Kuryakyn. Kuryakyn will pass on all warranties made by the manufacturer & where possible, will expedite the claim on behalf of the customer, but ultimately, responsibility for disposition on the warranty claims lies with the manufacturer.
8. Merchandise purchased directly from internet auction sites or any other third party seller is considered sold as is & shall not carry a Kuryakyn warranty. All warranty claims must be directed to the original seller. If unsure please contact the seller to verify they are an authorized Kuryakyn retailer.

©2016 KURYAKYN HOLDINGS, LLC ALL RIGHTS RESERVED

KURYAKYN, KURYAKYN K logo and the marks appearing on this instruction sheet are registered and common law trademarks of Kuryakyn Holdings except noted third-party trademarks. A full listing of trademarks and trademark registrations owned by Kuryakyn Holdings can be found at www.kuryakyn.com/legal-notice.

Emissions Notice: The California Air Resources Board (CARB) does not permit the use of aftermarket emission-related parts(s) that alter the performance of OEM emission-related devices unless CARB has issued an Executive Order, other than on racing vehicles on closed courses. Check your local laws and manufacturer's information.

Listed Manufacturers and product model names are for reference only. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. All specifications are subject to change without notice.

For additional information on third-party product and company names, please consult our Web page at www.kuryakyn.com/legal-notice

3	INFORMATION AND SUPPORT	INFO@BAHNPRODUCTS.COM	866 294 2827
---	-------------------------	-----------------------	--------------